

**ACCESS A HIGHER STANDARD.™**

FALL PROTECTION  
**PRODUCT CATALOG**

**WERNER.**

**WERNER®**

TOTAL JOBSITE SOLUTIONS.....	2
PRODUCT PROMISE.....	3-4
THE WERNER SELECTION GUIDE.....	5
<b>HARNESSES.....</b>	<b>6-6</b>
HARNESSES.....	6
KNOW YOUR HARNESSES/HOW TO CHOOSE YOUR HARNESSES.....	7-8
BLUE ARMOR 2000 HARNESSES.....	9-10
BLUE ARMOR 1000 HARNESSES.....	11-12
LITEFIT HARNESSES.....	13-14
BASEWEAR.....	15
HARNESSES ACCESSORIES.....	16
<b>LANYARDS.....</b>	<b>17-22</b>
KNOW YOUR LANYARD/TYPES OF LANYARDS.....	17-18
DECOIL.....	19-20
DECOIL STRETCH.....	21
SOFT COIL.....	21
POSITIONING.....	22
SRL.....	23-24
ANCHORS.....	25-26
ANCHOR CONNECTORS.....	27
ANCHOR ACCESSORIES.....	27
VERTICAL LIFELINES.....	28
COMPLIANCE KITS.....	29-30
URMARK KITS.....	31-32
TRAINING.....	33-34

# SOLUTIONS FOR SAFE ACCESS AT ANY HEIGHT



# W

e've built a reputation for excellence in workplace safety. It's based on experience satisfying the tough demands of the experienced pro. At Werner, we know what professionals need and want. We make it our charge to deliver it.

Our new line of fall protection equipment extends from that same philosophy that has made our ladders preferred by professionals. We begin with **The Werner Product Promise** that establishes our design and ensures satisfaction – before, during and after use. We have developed built-in **INSPECT!**<sup>™</sup> and **WebAlert** features that make inspection quicker and easier for users, which makes assuring safety easier.

Whether it's ladders or fall protection equipment, everything we make is known for its durability and is able to withstand the harshest of working conditions. Our innovative features also add an extra edge for both safe use and reliable performance.

We are committed to maintaining tight controls in all phases of manufacturing. In fall protection, you can see it in our new in-house sewing operations for harnesses and lanyards. World-class distribution and excellent customer care reinforce our efforts. We are proud of what our brand represents and proud that we can now deliver safety needs at any height.



# THE WERNER

1

Must offer **inspectability** to indicate wear or damage prior to use



2

Must be **adjustable** to accommodate most body frames to ensure **comfort** and **productivity** with or without tools



# PRODUCT PROMISE

3

Must **perform safely**  
in the event of a fall



4

Must be able to be **manipulated**  
in a post-fall condition  
to eliminate pain,  
pressure points  
and improve  
ability to assist  
in a rescue



## Step 1

### ○ Anchorage/Anchorage Connectors

- Must support 5,000 lbs.
- Select product that matches application

## Step 2

### ○ Connecting Device

- Determine if your needs are:  
 Arrest - Free falling up to 6ft.  
 Restraint - No fall potential

## Step 3

### ○ Harnesses

- Select style based on application

<b>Step 1</b> <b>Anchorage/Anchorage Connectors</b>	<b>Step 2</b> <b>Connection Device</b> <b>Fall Arrest</b>	<b>Step 3</b> <b>Harnesses</b>
Static/Fixed Anchor Points	Self Retracting Lifelines (6'-60')	Standard
	Lanyards ( <i>Single or Twinleg</i> )	Climbing
	Rope/Grabs ( <i>Manual or Trailing</i> )	Positioning
Horizontal Lifelines	<b>Fall Restraint</b>	Retrieval
	Lanyards ( <i>Single or Twinleg</i> )	Construction Style
	Rope/Grabs ( <i>Manual</i> )	

# HARNESSES FAMILY



## **Blue Armor 2000**<sup>™</sup>

INSPECTABLE HARNESSES

Werner Blue Armor 2000 harnesses are designed and manufactured for the most demanding applications and the most serious professional workers. They combine safety features, comfort and durability for the highest levels of application. Unique wear-indicating webbing and impact indicators allow for easy inspection, 5-point adjustability deliver optimal fit, and bright colors improve worker visibility.



## **Blue Armor 1000**<sup>™</sup>

INSPECTABLE HARNESSES

Werner Blue Armor 1000 harnesses deliver the right combination of safety features, comfort and durability for the professional worker. They're easy to inspect, with unique wear-indicating webbing and impact indicators. With 5-point adjustability for optimal fit, lightweight hardware and padding, and bright colors for worker visibility on the job site, they meet the needs of many pros.



## **LITEFIT**<sup>™</sup>

SAFETY HARNESSES

The Werner LITEFIT line provides the right harness, the right fit, and the right value. These harnesses offer full adjustability for fit, comfort, and convenience, lightweight and durable hardware, and bright colors for enhanced visibility.




## **BASEWEAR**<sup>™</sup>

SAFETY HARNESSES

The Werner BaseWear line provides compliant fall protection at an economical value. These harnesses promote all day wear with lightweight design and Universal sizing.

## VALUE MATRIX





# KNOW YOUR HARNESS

## 1. WEBBING

The webbing is the skeleton of the harness and must have the strength and durability to satisfy fall protection needs in demanding job environments.

## 2. ADJUSTMENT LOCATIONS

For optimal comfort and performance in a fall event, a harness must be properly adjusted and fit on the user. All areas of the harness should be snug, but not overly tight. Most harnesses have adjustments for the torso/shoulder straps, chest straps, and leg straps.

## 3. ALTERNATE ATTACHMENT HARDWARE

Different harnesses have additional D-Rings for specific applications: near the hips, on the chest, or on the shoulders.

## 4. LEG STRAPS

Leg straps fasteners come in different styles, including pass through buckles, tongue buckles, and quick connect buckles.



Pass through



Tongue Buckle



Quick Connect



## 5. BACK/SHOULDER PAD WITH DORSAL BACK D-RING

Cushioning on the back and shoulders helps distribute pressure, improving users' comfort.



## 6. SUB-PELVIC STRAP

When properly positioned, the sub-pelvic straps help to distribute force and weight during and after a fall.



## 7. LABELS

Harness labels include important product information and provide a place to record inspection data. Labels must be protected from wear and damage; legibility is critical.



## 8. IMPACT INDICATORS

Any harness exposed to a fall should be removed from service. These indicators provide instant evidence whether or not a fall has occurred.





# HOW TO CHOOSE THE CORRECT HARNESS FOR THE JOB



## 9. LANYARD KEEPERS


The lanyard keeper provides a safe place to park a lanyard not in use and also reduces the likelihood of tripping on or snagging the lanyard.



## 10. STRAP KEEPERS

When properly adjusted and fit to a user, a harness may have extra webbing strap hanging out of the various buckles. Simple strap keepers allow the user to organize and store this extra strap to improve comfort and prevent snagging.

## Full Body Harness Sizing Chart



## STYLES OF HARNESSES

2.



### STANDARD

For fall arrest only, features only a dorsal D-Ring on the back.



### CLIMBING

For climbing applications and attachment to fixed ladder safety systems, these harnesses include a frontal attachment point.



### POSITIONING

These harnesses have D-Rings located at the hips for use with positioning lanyards to allow for hands-free working in vertical structure applications



### RETRIEVAL

D-rings on the shoulders are used for lifting or lowering a user, typically in confined space or rescue applications



### CONSTRUCTION STYLE (POSITIONING WITH BELT)

Construction harnesses feature belts and additional attachment points for a variety of applications. The belt allows users to carry tools, and additional padding improves user comfort.



**WebAlert INSPECTABLE WEBBING**  
WebAlert webbing makes wear or damage clearly visible.



**SHOULDER PADDING**  
Improves user comfort



**WEB TERMINATIONS STRAP KEEPERS**  
Keeps excess webbing organized and out of the way



**QUICK CONNECT CHEST BUCKLE**  
Provides fast and easy connection

**LANYARD KEEPER**  
Keeps lanyard end secure and out of the way when not in use




**IMPACT INDICATOR**  
Clearly shows if the harness has been involved in a fall



**LABEL PROTECTION**  
Durable cover easily reveals labels



**LEG STRAP**  
Available with fast, easy quick connect buckles or tongue buckles, ideal when multiple workers use same harness



**LARGE BACK PAD**  
Large back pad with breathable, sweat absorbing foam helps keep harness untangled when donning

## Standard Harness

Back D-Ring, Quick Connect Legs



- SMALL**  
H113001  
H112001 Tongue Buckle Legs
- MEDIUM/LARGE**  
H113002  
H112002 Tongue Buckle Legs
- X-LARGE**  
H113004  
H112004 Tongue Buckle Legs
- XX-LARGE**  
H113005  
H112005 Tongue Buckle Legs



## Climbing Harness

Back and Chest D-Rings, Quick Connect Legs



- SMALL**  
H123001  
H122001 Tongue Buckle Legs
- MEDIUM/LARGE**  
H123002  
H122002 Tongue Buckle Legs
- X-LARGE**  
H123004  
H122004 Tongue Buckle Legs
- XX-LARGE**  
H123005  
H122005 Tongue Buckle Legs



## Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



- SMALL**  
H132001  
H133001 Quick Connect Legs
- MEDIUM/LARGE**  
H132002  
H133002 Quick Connect Legs
- X-LARGE**  
H132004  
H133004 Quick Connect Legs
- XX-LARGE**  
H132005  
H133005 Quick Connect Legs



## Climbing/Positioning Harness

Back, Chest, and Hip D-Rings, Tongue Buckle Legs



- SMALL**  
H162001  
H163001 Quick Connect Legs
- MEDIUM/LARGE**  
H162002  
H163002 Quick Connect Legs
- X-LARGE**  
H162004  
H163004 Quick Connect Legs
- XX-LARGE**  
H162005  
H163005 Quick Connect Legs



## Construction Harness

Back and Hip D-Rings, Tool Belt, Quick Connect Legs



- SMALL**  
H133101  
H132101 Tongue Buckle Legs
- MEDIUM/LARGE**  
H133102  
H132102 Tongue Buckle Legs
- X-LARGE**  
H133104  
H132104 Tongue Buckle Legs
- XX-LARGE**  
H133105  
H132105 Tongue Buckle Legs



## Retrieval Harness

Back and Shoulder D-Rings, Quick Connect Legs



- SMALL**  
H143001  
H142001 Tongue Buckle Legs
- MEDIUM/LARGE**  
H143002  
H142002 Tongue Buckle Legs
- X-LARGE**  
H143004  
H142004 Tongue Buckle Legs
- XX-LARGE**  
H143005  
H142005 Tongue Buckle Legs





**WebAlert INSPECTABLE WEBBING**  
WebAlert inspectable webbing makes wear and damage visible and obvious.

**LARGE BACK PAD**  
Large back pad with breathable, sweat absorbing foam helps keep harness untangled when donning



**PASS THROUGH CHEST BUCKLE**  
Easy and fast adjustment and fastening



**WEB TERMINATIONS STRAP KEEPERS**  
Keeps excess webbing organized and out of the way

**LANYARD KEEPER**  
Keeps lanyard end secure and out of the way when not in use



**IMPACT INDICATOR**  
Clearly shows if the harness has been involved in a fall



**LABEL PROTECTION**  
Durable cover clearly reveals labels



**LEG STRAP**  
Available with tongue buckles, ideal when multiple workers use same harness, or convenient pass through buckles

## Standard Harness

Back D-Ring, Pass Through Legs



- SMALL**  
H211001  
H212001 Tongue Buckle Legs
- MEDIUM/LARGE**  
H211002  
H212002 Tongue Buckle Legs
- X-LARGE**  
H211004  
H212004 Tongue Buckle Legs
- XX-LARGE**  
H211005  
H212005 Tongue Buckle Legs



## Climbing Harness

Back and Chest D-Rings, Pass Through Legs



- SMALL**  
H221001  
H222001 Tongue Buckle Legs
- MEDIUM/LARGE**  
H221002  
H222002 Tongue Buckle Legs
- X-LARGE**  
H221004  
H222004 Tongue Buckle Legs
- XX-LARGE**  
H221005  
H222005 Tongue Buckle Legs



## Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



- SMALL**  
H232001  
H231001 Pass Through Legs
- MEDIUM/LARGE**  
H232002  
H231002 Pass Through Legs
- X-LARGE**  
H232004  
H231004 Pass Through Legs
- XX-LARGE**  
H232005  
H231005 Pass Through Legs



## Climbing/Positioning Harness

Back, Chest, and Hip D-Rings, Tongue Buckle Legs



- SMALL**  
H262001  
H261001 Pass Through Legs
- MEDIUM/LARGE**  
H262002  
H261002 Pass Through Legs
- X-LARGE**  
H262004  
H261004 Pass Through Legs
- XX-LARGE**  
H262005  
H261005 Pass Through Legs



## Construction Harness

Back and Hip D-Rings, Tool Belt, Tongue Buckle Legs



- SMALL**  
H232101  
H231101 Pass Through Legs
- MEDIUM/LARGE**  
H232102  
H231102 Pass Through Legs
- X-LARGE**  
H232104  
H231104 Pass Through Legs
- XX-LARGE**  
H232105  
H231105 Pass Through Legs



## Retrieval Harness

Back and Shoulder D-Rings, Pass Through Legs



- SMALL**  
H241001  
H242001 Tongue Buckle Legs
- MEDIUM/LARGE**  
H241002  
H242002 Tongue Buckle Legs
- X-LARGE**  
H241004  
H242004 Tongue Buckle Legs
- XX-LARGE**  
H241005  
H242005 Tongue Buckle Legs





**LANYARD KEEPER**  
Keeps the lanyard secure and out of the way when not in use



**STRAP KEEPERS**  
Keeps excess webbing organized and out of the way

**LABEL PROTECTION**  
Durable cover easily reveals labels



**BACK PAD**  
Adjustable for optimal fit on different body sizes.



**PASS THROUGH CHEST BUCKLE**

**IMPACT INDICATOR**  
Clearly shows if the harness has been involved in a fall

**LEG STRAP**  
Available with tongue buckles, ideal when multiple workers use same harness, or convenient pass through buckles

## Standard Harness

Back D-Ring, Pass Through Legs



**SMALL**

H311001  
H312001 Tongue Buckle Legs

**MEDIUM/LARGE**

H311002  
H312002 Tongue Buckle Legs

**X-LARGE**

H311004  
H312004 Tongue Buckle Legs

**XX-LARGE**

H311005  
H312005 Tongue Buckle Legs



## Climbing Harness

Back and Chest D-Rings, Pass Through Legs



**SMALL**

H321001  
H322001 Tongue Buckle Legs

**MEDIUM/LARGE**

H321002  
H322002 Tongue Buckle Legs

**X-LARGE**

H321004  
H322004 Tongue Buckle Legs

**XX-LARGE**

H321005  
H322005 Tongue Buckle Legs



## Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



**SMALL**

H332001  
H331001 Pass Through Legs

**MEDIUM/LARGE**

H332002  
H331002 Pass Through Legs

**X-LARGE**

H332004  
H331004 Pass Through Legs

**XX-LARGE**

H332005  
H331005 Pass Through Legs



## Climbing/Positioning Harness

Back, Chest, and Hip D-Rings, Tongue Buckle Legs



**SMALL**

H362001  
H361001 Pass Through Legs

**MEDIUM/LARGE**

H362002  
H361002 Pass Through Legs

**X-LARGE**

H362004  
H361004 Pass Through Legs

**XX-LARGE**

H362005  
H361005 Pass Through Legs





**PASS THROUGH CHEST BUCKLE**



**SLIDING BACK PAD**

Adjustable for universal fit on different body sizes.

**LANYARD KEEPER**

Keeps the lanyard secure and out of the way when not in use

**IMPACT INDICATOR**

Clearly shows if the harness has been involved in a fall



**STRAP KEEPERS**

Keeps excess webbing organized and out of the way

**LABEL PROTECTION**

Web cover to extend wear

**LEG STRAP**

Available with tongue buckles, ideal when multiple workers use same harness, or convenient pass through buckles

## Standard Harness

Back D-Ring, Pass Through Legs



**UNIVERSAL**

H411002

H412002 Tongue Buckle Legs



## Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



**UNIVERSAL**

H432002

H431002 Pass Through Legs





## Tool/Positioning Belt

Hip D-Rings



- SMALL**  
M210001
- MEDIUM/LARGE**  
M210003
- X-LARGE**  
M210004
- XX-LARGE**  
M210005

## Belt



- SMALL**  
M110001
- MEDIUM/LARGE**  
M110003
- X-LARGE**  
M110004
- XX-LARGE**  
M110005

## Back Pad

For Replacement or Addition to LiteFit Harness



M010003

## Leg Pads



M010005

## Shoulder Pads



M010001

## D-Ring Extender



**LENGTH 12"**  
M010000



# KNOW YOUR LANYARD

## LANYARDS

### DeCoil™

ENERGY ABSORBING LANYARD



Elastic Stretch

### SoftCoil™

INTERNAL ENERGY ABSORBING LANYARD



**LABEL PROTECTION**  
Durable cover easily reveals labels

### Positioning

NON ENERGY ABSORBING



Available on select Werner lanyards



**WebAlert** inspectable polyester webbing makes wear and damage visible and obvious making inspection easier.



**Snap hook**  
Double Locking Snap Hook with gate rating of 3,600 lbs.



**DCELL™**  
SHOCK PACK  
Werner DCELL Shock Pack is a deceleration device designed for controlled tearing action to reduce fall arrest forces on the user



**Elastic webbing**  
Contracts the lanyard length from 6' to 4', reducing the hazards of tripping, dragging, or snagging



**Impact indicator**  
Provides clear indication to users during inspection when lanyard has been involved in a fall and should be taken out of service

## LANYARD END OPTIONS

All Werner Hooks are compliant with the ANSI Z359 code.



**SNAP HOOK**



**REBAR HOOK**



**2" GATE CARABINER**



**LOOP**

# STYLES OF LANYARDS



## SHOCK PACK ENERGY ABSORBING

Non Elastic



These lanyards utilize a packed deceleration device (shock pack) designed for controlled tearing action to reduce fall arrest forces.

Elastic



These lanyards utilize an energy absorbing device (shock pack) and have elastic webbing that contracts from 6' to 4' reducing the hazards of tripping, dragging, or snagging.

## INTERNAL ENERGY ABSORBING



These lanyards feature a tubular, energy absorbing inner core that uses the entire length of the lanyard to absorb the energy of a fall and reduce the arresting forces on a user.

## POSITIONING



These lanyards do not have any shock absorbing features and are only for work positioning or restraint applications.

# LANYARD ATTRIBUTES

## TIE-BACK



The tie-back feature allows these lanyards to act as both a connecting means and anchorage connector when no other acceptable anchor is available.

## TWINLEG (100% TIE-OFF)



Two lanyards connected together are meant for 100% tie-off, allowing the user to safely move from one location to another.

## ADJUSTABLE



Adjustable in length to adapt to different working conditions.

## DeCoil

DCELL Shock Pack, 1" Web, Snaphooks, Length 6'



C311100

**LENGTH 3'**  
C311104

**LENGTH 6'**  
C311100

**TWINLEG**  
C411100

## DeCoil

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hook, Length 6'



**SINGLE LEG**  
C311200

**TWINLEG**  
C411200

## DeCoil

DCELL Shock Pack, 1" Web, Snaphook, 2" Carabiner, Length 6'



**TWINLEG**  
C411400

**SINGLE LEG**  
C311400

## DeCoil

DCELL Shock Pack, 1" Web, Loop, Snaphook, Length 6'



**SINGLE LEG**  
C313100

**TWINLEG**  
C413100

## DeCoil Tie-Back

DCELL Shock Pack, 1" Web, Snaphooks, Tie-Back, Length 6'




**SINGLE LEG**  
C311101

**TWINLEG**  
C411101

## DeCoil Tie-Back

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hook, Length 6'




**SINGLE LEG**  
C311201

**TWINLEG**  
C411201

## DeCoil Tie-Back/Adjustable

DCELL Shock Pack, 1" Web, Snaphooks, Length 6'



**SINGLE LEG**  
C311103

**TWINLEG**  
C411103

## DeCoil Tie-Back/Adjustable

DCELL Shock Pack, 1" Web, Snaphook, 2" Carabiner, Length 6'



**SINGLE LEG**  
C311403

## DeCoil Tie-Back/Adjustable

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hook, Length 6'



**LENGTH 6'**  
C311203

## DeCoil Adjustable

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hooks, Length 6'



**TWINLEG**  
C411202

## DeCoil Adjustable


DCELL Shock Pack, 1" Web, Snaphooks, Length 6'



**TWINLEG**  
C411102  
**SINGLE LEG**  
C311102

## DeCoil Cable


DCELL Shock Pack, 1/4" Vinyl Coated Cable, Snaphook, 2" Carabiner, Length 6'



**SINGLE LEG**  
C361400  
**TWINLEG**  
C461400

## DeCoil Cable

DCELL Shock Pack, 1/4" Vinyl Coated Cable, Snaphooks, Length 6'



**SINGLE LEG**  
C361100  
**TWINLEG**  
C461100

## DeCoil Cable Tie-Back

DCELL Shock Pack, 5/16" Vinyl Coated Cable, Snaphook, Tie-Back, Length 6'



**SINGLE LEG**  
C361101  
**TWINLEG**  
C461101

## DeCoil Cable

DCELL Shock Pack, 1/4" Vinyl Coated Cable, Snaphook, Rebar Hook, Length 6'



**TWINLEG**  
C461200  
**SINGLE LEG**  
C361200

### DeCoil Stretch

DCELL Shock Pack, Elastic Web, Snaphooks, Length 4-6'




**SINGLE LEG**  
C341100

**TWINLEG**  
C441100

### DeCoil Stretch

DCELL Shock Pack, Elastic Web, Loop, Snaphooks, Length 4-6'



**TWINLEG**  
C443100

### DeCoil Stretch

DCELL Shock Pack, Elastic Web, Snaphooks, Rebar Hook, Length 4-6'



**TWINLEG**  
C441200

**SINGLE LEG**  
C341200

### SoftCoil

Energy Absorbing Inner Core, Snaphooks, Length 6'



**SINGLE LEG**  
C351100

**TWINLEG**  
C451100

### SoftCoil

Energy Absorbing Inner Core, Loop, Snaphook, Length 6'



**SINGLE LEG**  
C353100

**TWINLEG**  
C453100

### SoftCoil

Energy Absorbing Inner Core, Snaphook, Rebar Hook, Length 6'



**TWINLEG**  
C451200

**SINGLE LEG**  
C351200

### SoftCoil

Energy Absorbing Inner Core, Snaphook, 2" Carabiner, Length 6'



**SINGLE LEG**  
C351400

## Rebar Positioning

Web, 2 Snaphooks, Rebar Hook



C111203

**18"**  
C111203  
**22"**  
C111204

## Positioning

1" Web, 2 Snaphooks



C111106

**LENGTH 2'**  
C111102  
**LENGTH 3'**  
C111103  
**LENGTH 4'**  
C111104  
**LENGTH 5'**  
C111105  
**LENGTH 6'**  
C111106

## Rebar Positioning

Chain, 2 Snaphooks, Rebar Hook



C191203

**18"**  
C191203  
**22"**  
C191204

## Positioning

1" Web, Snaphook, Rebar Hook, Length 6'



**SINGLE LEG**  
C111206

## Positioning

1/4" Vinyl Coated Cable, Snaphooks



C161106

**LENGTH 2'**  
C161102  
**LENGTH 3'**  
C161103  
**LENGTH 4'**  
C161104  
**LENGTH 6'**  
C161106

## Positioning

1" Web, Loop, Snaphook, Length 6'



**SINGLE LEG**  
C113106

## Positioning Adjustable

1" Web, Snaphooks, Length 6'



**SINGLE LEG**  
C111506



# AutoCoil 2™

SELF RETRACTING LIFELINE

## AUTOCOIL2 SELF-RETRACTING LIFELINES ARE DESIGNED TO ENHANCE SAFETY PERFORMANCE AND PRODUCTIVITY

- The right device for the job - Models range from 7 ft web to 60 ft Galvanized cable
- Freedom to work and increase reach from a single anchor point
- Security When Needed - Internal braking mechanism for reduced fall clearances
- Proven design meets applicable ANSI standards and OSHA regulatory requirements
- Extend life through Werner Retractable Repair and Maintenance Program

SELF RETRACTING LIFELINES



**Galvanized Cable**  
*Rugged Strength and Durability*

Carabiner Included

	20'	30'	60'
	R210020	R210030	R210060



# SELF RETRACTING LIFELINES

SELF RETRACTING LIFELINES



Dual-Leg 7 ft design allows for 100% tie-off

	7'	11'	Dual leg 7'
<b>Dyneema Web</b> <i>Lightweight and Strong</i>	R230007	R230011	R231007

Carabiner Included

## Reusable Concrete Anchor

Easily Insert and Remove from Pre-drilled 3000 psi Concrete


**DRILL HOLE 3/4" X 3" DEEP**  
A510000



## Mega-Swivel Concrete Anchor

Easily Insert and Remove from Pre-drilled 3000 psi Concrete,  
Swivel Top Design, Minimum 5" Concrete Thickness

**DRILL HOLE 3/4" X 4.5" DEEP**  
A510001



## Toggle Bolt Anchor

Reusable Anchor for Hollow Core Concrete and for Steel Beams

**DRILL HOLE 3/4"**  
A410000



## I-Beam Sliding Anchor

Lightweight Aluminum Design, Fits Beams from 3.5" to 12" and up to 1.25" thick

A550000



## Reusable Roof Anchor

Plated Steel with D-Ring

A210400



## Mega-Swivel Steel Anchor

Swivel Top Design


**DRILL HOLE 5/8"**  
**MINIMUM 1/4" THICK STEEL**  
A320003



## Knock Down Roof Anchor

12 Pack

A230400



## D-Bolt Anchor

5/8" dia. fastener (not included)

A320001



## D-Bolt Anchor

Integrated Bolt with Washer and Nut  
1/2" stud diameter  
maximum 1" material thickness

A320002



## Hand Grip Anchor

**2"**  
A100202  
**3"**  
A100203  
**4"**  
A100204



A100204

## Builders Grip

Fits 3/4" - 1 1/4" hole diameter  
Maximum 1 1/4" material thickness

A420000



### Cable Choker

5/16" Vinyl Coated, Cable, O-Rings



- LENGTH 2'**  
A112002
- LENGTH 3'**  
A112003
- LENGTH 4'**  
A112004
- LENGTH 6'**  
A112006
- LENGTH 8'**  
A112008

### Anchor Extension

1/4" Vinyl Coated Cable, O-Ring, Snaphook



- LENGTH 2'**  
A113002
- LENGTH 3'**  
A113003
- LENGTH 4'**  
A113004
- LENGTH 6'**  
A113006
- LENGTH 8'**  
A113008

### Cross Arm Strap

Web, Loop, D-Ring, 3" Wear Pad



- LENGTH 2'**  
A111102
- LENGTH 3'**  
A111103
- LENGTH 4'**  
A111104
- LENGTH 6'**  
A111106
- LENGTH 8'**  
A111108

### Cross Arm Strap

Web, O-Ring, D-Ring, 3" Wear Pad



- LENGTH 2'**  
A111002
- LENGTH 3'**  
A111003
- LENGTH 4'**  
A111004
- LENGTH 6'**  
A111006
- LENGTH 8'**  
A111008

### Pour-In Disposable Anchor Strap

Loop, D-Ring



- LENGTH 24"**  
A211002
- LENGTH 36"**  
A211003
- LENGTH 48"**  
A211004

### Pour-In Disposable Anchor Strap


Loop, Loop



- LENGTH 36"**  
A211103
- LENGTH 48"**  
A211104
- LENGTH 72"**  
A211106

### Carabiner

3600 lb. Gate



- 1/2"**  
A100301


### Carabiner

3600 lb. Gate



- 2"**  
A100303

## Trailing Rope Grab



**FOR 5/8" ROPE**  
L210000

## Trailing Rope Grab

Shock Absorbing Lanyard, 3'



**FOR 5/8" ROPE**  
L210001

## Manual Rope Adjuster



**FOR 5/8" ROPE**  
L210100

## Manual Rope Adjuster

Shock Absorbing Lanyard, 3'



**FOR 5/8" ROPE**  
L210101

## Vertical Lifeline

5/8" Poly Blend Rope



L201050

**LENGTH 30'**  
L201030

**LENGTH 50'**  
L201050

**LENGTH 75'**  
L201075

**LENGTH 100'**  
L201100



# COMPLIANCE KITS

## COMPLIANCE KITS



### Bucket SKU

**K111101 Werner - Roofing Bucket, 30' Basic**

**K111201 Werner - Roofing Bucket, 50' Basic**

**K112101 Werner - Roofing Bucket, 30' Tongue Buckle Harness**

**K112201 Werner - Roofing Bucket, 50' Tongue Buckle Harness**

**K121001 Werner - Construction / Maintenance Bucket, Basic**

**K122001 Werner - Construction / Maintenance Bucket, Tongue Buckle Harness**

## Roofing Kits



- LITEFIT HARNESS
- REUSABLE STEEL ROOF ANCHOR
- POLY BLEND ROPE LIFELINE
- ROPE ADJUSTER WITH 3' SHOCK ABSORBING LANYARD



## Construction/Maintenance Kits



- LITEFIT HARNESS
- SOFTCOIL 6' LANYARD WITH BIGHEAD SNAP HOOKS
- WEB 6' CROSS ARM STRAP



	Anchor		Lifeline		Connector		Harnesses	
	Reusable Steel Roof Anchor	Web 6' Cross Arm Strap	30' Poly Blend Rope Lifeline	50' Poly Blend Rope Lifeline	Rope Adjuster with 3' Shock Absorbing Lanyard	SoftCoil 6' Lanyard	LiteFit M/L with Tongue Buckle Leg Straps	LiteFit M/L with Pass Through Buckle Leg Straps
	A210400	A111106	L201030	L201050	L210101	C351100	H412002	H411002
	X		X		X			X
	X			X	X			X
	X		X		X		X	
	X			X	X		X	
		X				X		X
		X				X	X	

## WERNER OFFERS IN-STOCK KITS COVERING A BROAD RANGE OF FALL ARREST APPLICATIONS:

Taking protection and productivity to the next level. Every job is different, as is the fall protection required to get the job done. Werner is committed to providing the right product solution for your needs.

### **K121013**

**HARNESS**  
H411002

**LANYARD**  
C311100



### **K122023**

**HARNESS**  
H411002

**LANYARD**  
C311100



**In-Stock ToolBag SKU**

**K121013 Aerial Kit: Standard BaseWear Harness, 6' DeCoil Lanyard**

**K122023 Aerial Kit: Standard BaseWear Harness, Tongue Buckle Legs, 6' SoftCoil Lanyard**

**K123033 Aerial Kit: 1000 Harness, Pass Through Legs, 6' DeCoil Stretch Lanyard**

**K121043 Aerial Kit: Standard BaseWear Harness, Pass Through Legs, 6' DeCoil Dual Leg Lanyard**

**K121053 Aerial/Main Kit: Standard BaseWear Harness, Pass Through Legs, 6' DeCoil Tie-Back Lanyard**

Customized kit options available upon request – please contact Werner Customer Service for details.



**PERSONALIZE YOUR FALL PROTECTION EQUIPMENT WITH CUSTOM LOGO CAPABILITY ON TOOL BAGS AND HARNESSSES.**

**LOGO MINIMUM ORDER REQUIREMENTS**

Aerial Kits and Harnesses have an option to have a custom logo applied. Minimum 25 piece opening order required for logoed kits. Minimum 10 pieces required for reorders.



**BAG LOGO SPECIFICATIONS**

Dimensions – 5” x 5” (Height x Width)  
 Colors – Two maximum  
 Location – One side of bag only, other side contains a Werner Logo



**HARNESS LOGO SPECIFICATIONS**

(Eligible only on LiteFit and BaseWear Harness Styles)  
 Dimensions – 1.5” x 4.5” (Height x Width)  
 Colors – Two maximum  
 Location – Harness Back Strap

**URMARK KITS**

	Harnesses			Connectors				
	BaseWear with Pass Through Leg Straps	BaseWear with Tongue Buckle Leg Straps	Blue Armor 1000 with Pass Through Leg Straps	DeCoil 6’ Lanyard	SoftCoil 6’ Lanyard	DeCoil Stretch 6’ Lanyard	DeCoil 6’ Dual Leg Lanyard	DeCoil 6’ Tie-Back Lanyard
	H411002	H412002	H211002	C311100	C351100	C341100	C411100	C311101
	X			X				
		X			X			
			X			X		
	X						X	
	X							X



## *Authorized User Course*

Werner's Authorized User course is designed for all workers working at height who are required to have a working knowledge of the safe use of Fall Protection equipment and systems. Students will learn which equipment and systems are compatible and will participate in hands on exercises.

Upon successful completion of this course each student will receive a laminated wallet card and certificate of completion that they have met the requirements as an authorized person.



## ***Competent Person Course***

Werner's Competent Person training course is designed for individuals that are responsible for the supervision, implementation and monitoring of a managed Fall Protection Program.

This course is designed for facility and site supervisors who must also serve as a "Competent Person" and given the authority to take corrective action required by OSHA 1926.32(f), 1926.500 and 1910 standards.

This course includes class lecture and discussion including PPT slides, videos and incorporates extensive hands on demonstrations and exercises. This course also addresses relevant Fall Protection regulations, fall hazard identification and equipment/systems inspection protocols and documentation.

## ***Competent Person Inspector Course***

Werner's Competent Person Inspector course is designed for all workers using fall protection equipment and systems. This course is also designed for employees that have been dedicated for the specific task and responsibility for the inspection and documentation of the equipment and systems. This course will include hands on exercises as well as classroom discussion and lecture.

The training defines protocol for consistency in the inspection process that will assist in the management of the Fall Protection program as a whole.





CORPORATE HEADQUARTERS

Werner Co.

93 Werner Road

Greenville PA 16125-9499

Tel: 888 523 3371

To contact us please visit:

[wernerco.com](http://wernerco.com)